

Index

- A posteriori probability, 477
- Absolute coordinates, 9, 254, 310
 - for camera calibration, 313
 - and object representation, 465
 - and object verification, 487
 - and rigid body transformations, 314–315
- Absolute orientation, 310, 320–325
 - and binocular stereo calibration, 357, 359
 - with scale, 334–336
 - in surface registration, 400, 401
- Accumulative difference picture, 413–414, 418
- Active convergent cameras, 295
- Active triangulation (*see* Triangulation, active)
- Active vision, 292, 305, 359
- Affine transformation, 38, 316
 - for camera calibration, 352–355
- Albedo, 271–273
- Aperture, 251–253, 254–255, 305
- Aperture problem, 430
- Area, 31, 51, 189, 472
- Array region representation, 88
- Artificial intelligence, 5, 461
- Aspect graph, 470
- Aspect ratio, 242–244, 411
- Aspect ratio gradient, 245
- Autocorrelation, 239
- Autonomous navigation, 2, 407
- Axis of elongation, 33
- Axis of least second moment, 33–35
- Axis of orientation (*see* Axis of elongation)
- Axis of rotation, 318, 319

- Background, 43, 463
- Background normalization, 82
- Baseline distance, 289, 291
 - in absolute orientation with scale, 335
 - in active triangulation, 359
 - in binocular stereo, 333, 335, 357, 358
 - in relative orientation, 327, 328–331
 - in structured lighting, 301
- Bayesian feature classification, 476–478
- Bidirectional reflectance distribution function (BRDF), 258, 259, 261–262, 263
- Bilinear surface interpolation, 332, 382–383
- Binary image:
 - center of area of, 32
 - conventions for, 27
 - morphological verification of, 483
 - template matching of, 483
 - thresholding of, 28–31
 - usefulness of, 25–27
- Binary mask, 88, 397
- Binocular stereo:
 - calibration, 325, 357–359
 - depth from, 332–333, 366
 - geometry of, 289–292
- Binomial expansion (for Gaussian filters), 132
- Bitmap (*see* Binary mask)
- Bivariate polynomial surface patches, 378–379
 - in regression splines, 392–395
 - in surface segmentation, 397, 399
- Blur, 252–253, 300
- Boundary, 43, 187, 472
- Boundary following, 49–50, 75, 180
- Boundary matching, 224
- Boundary segments, 472
- BRDF (*see* Bidirectional reflectance distribution function)
- Brightness, 278
 - (*See also* Luminance)
- Broad-tailed distribution (of outliers), 213, 216–217
- B-spline, 388–395
 - nonuniform rational (NURBS), 470

- Camera calibration, 309–311, 314, 317, 346–361
 - affine method for, 352–355
 - binocular stereo, 357–359
 - nonlinear, 355–357
 - robust regression for, 361
 - simple, 347–351
- Camera constant, 250, 253, 341
 - in affine camera calibration, 352, 354, 355
 - in binocular stereo calibration, 357
 - and camera calibration, 346–347
 - in nonlinear camera calibration, 356
 - in simple camera calibration, 350
- Camera coordinates, 9
 - for camera calibration, 312–313
 - and object representation, 465
 - and reflectance map, 267–268
 - and rigid body transformations, 315
 - and surface orientation, 264–267
- Camera parameters, 338, 341, 346, 352, 357, 463
- Camera position and orientation, 254, 291–293
- Canny edge detection, 169–173, 180
- Cascading Gaussians, 127, 129–132
- Center lines (*see* Medial lines)
- Center of projection, 250, 253–254, 257, 312, 337
- Centroid, 92, 220, 312
- Chain code, 189–191
- Change detection (*see* Motion detection)
- Channels, 276, 277
- Chessboard distance measure, 52
- Chromaticity, 279
- CIE color system, 278–280
- Circle fitting, 221–222
- Circular arc contour representation, 200–203

- City-block distance measure, 52
- Closed contour, 75, 186, 223–224
- Closing, 68
- Color:
 - CIE system, 278–280
 - HSI model, 280–284
 - physics of, 276–277
- Color constancy, 284–286
- Combination reflectance, 264
- Commission Internationale de l'Eclairage, 278
(*See also* CIE color system)
- Compactness, 51–52, 74
- Complement, 61
- Component, 43
- Component labeling, 44–47, 97, 239, 399
- Computer graphics, 4
- Computer vision (*see* Machine vision)
- Conic sections, 203–207
- Conjugate pair, 290, 291, 293, 310–311
 - in absolute orientation, 321–326, 334
 - and binocular stereo calibration, 357
 - and depth from binocular stereo, 332
 - in motion correspondence, 423
 - in relative orientation, 325–327
 - resampling, 361
 - and rigid body transformation, 314
 - in surface registration, 400, 401–402
- Connected component (*see* Component)
- Connectivity, 42, 43, 59
- Consistency (in disparity computation), 424–428
- Constructive solid geometry (CSG), 468
- Contour, 143, 187
 - approximation of, 187, 210–225
 - Fourier descriptors, 224–225
 - Hough transform, 219–224
 - robust regression, 214–219
 - total regression, 212–213
 - interpolation of, 187, 194–210
 - circular arc, 200–203
 - conic section, 203–207
 - polyline, 194–200
 - representation of, 186, 187, 188–191
 - slope density function of, 191
(*See also* Curve)
- Contrast, 235, 238
- Convolution, 116–117, 118
 - in Laplacian of Gaussian, 158–159
 - mean filter as, 120
 - for template matching, 483
- Convolution mask, 117
 - in facet model, 164
 - for Gaussian filter, 134–135
 - for gradient approximation, 145
 - for Laplacian operator, 155
 - for linear smoothing filter, 119
 - for mean filter, 120
 - for Roberts cross operator, 147
 - for Sobel operator, 147
- Coordinate system, 9–10, 259, 311–313
- Coplanarity condition, 328
- Core lines (*see* Medial lines)
- Core region, 85–86, 398–399
- Corners:
 - from chain code, 189
 - in conic splines, 204, 208
 - in disparity computation, 424
 - estimating, 214
 - in object recognition, 472
- Correlation coefficient, 296–297
- Correspondence problem, 293, 415
 - motion, 420–428, 429
 - in photometric stereo, 299
 - in shape from motion, 452
 - and tracking, 443
- Cross-correlation, 415, 482–483
- Curvature, 371–372, 425, 472
- Curve:
 - explicit, 368
 - geometry of, 188–189, 367–368
 - implicit, 368
 - parametric, 368, 373
 - representation of, 373–374, 401
(*See also* Contour)
- Curve fitting (*see* Contour, approximation of; Contour, interpolation of)
- DeMorgan's law, 66
- Depth:
 - from binocular stereo, 332–333
 - determination, 439–443
 - indirect computation of, 298–300
 - measurements, 366, 381, 385, 395, 396
- Depth map (*see* Range image)
- Depth of field, 249–250, 251–253, 300
- Difference code, 189
- Difference picture, 409–410, 418, 436
- Differential geometry, 370
- Diffuse reflectance (*see* Lambertian reflectance)
- Dilation, 63–68
- Direction coherence, 446
- Directional derivative (*see* Second directional derivative)
- Discrete Gaussian filter, 134–136
- Discreteness, 424–425
- Disparity, 289–291, 292, 310
 - computation, 423–428, 429
 - in edge matching, 294–295
 - in interesting points detection, 296–297
- Distance measures, 52–53

- Distance transforms, 53–55
- Double thresholding, 85–86, 171–172
- Dynamic-scene analysis, 406–408, 415, 416
- Edge, 140, 142, 143
 - orientation, 144, 169–170, 208–210, 222–224, 294
 - in winged edge data structure, 375–378
- Edge detection, 73–74, 140–179
 - Canny, 169–173
 - definition of, 143
 - facet model, 162–166
 - Gaussian, 168–173
 - gradient, 143–149
 - performance of, 176–179
 - Roberts cross operator, 146–147
 - sequential, 179–180
 - Sobel operator, 147
 - statistical, 100
 - steps for, 145–146
 - time-varying, 416
 - zero crossing, 149–159
- Edge following, 143, 180
- Edge fragment, 142
- Edge linking, 143
- Edge list, 187
- Edge matching, 294–295
- Edgeness values, 101
- Ego-motion complex logarithmic mapping (ECLM), 437–439, 443
- Ego-motion polar transformation (EMP), 437
- Eigensystem, 324, 329, 335–336
- Enclosing rectangle, 90
- Endlines, 59
- Energy, 238
- Entropy, 235, 238
- Epipolar constraint, 293, 296, 420
- Epipolar line, 290, 291, 294, 310
 - and binocular stereo calibration, 357
 - in interesting points detection, 296
 - in rectification, 331
- Epipolar plane, 290, 291
- Equivalence table, 46–47
- Erosion, 63–69, 399
- Euclidean distance measure, 52
- Euler angles, 316–317, 321, 340, 356
- Euler number, 48, 92
- Expanding, 60
- Exposure, 254–255
- Exterior orientation, 310, 336–341, 342
 - and binocular stereo, 333, 359
 - and camera calibration, 346, 347, 352, 355, 359
- Extrinsic parameters, 338, 341, 346
- Faces, 375–378
- Facet model, 162–166, 413
- Feature, 415, 460, 472
 - classification, 474–479
 - detection, 424, 460–462, 472–473
 - indexing, 481
 - matching, 415–416, 429, 479
- Feature space, 466–467, 475, 478, 481
- Feature vector, 466
- Fields, 366–367
- Figure of merit, 178–179
- Filter:
 - before edge detection, 145
 - Gaussian, 123–136
 - linear, 118–122
 - mean, 120–122
 - median, 122–123, 125
 - scale of, 161
 - size, 47, 68, 399, 409–410, 413, 415
- Focal length, 250, 254–255, 355, 356, 341
- Focus, 305
- Focus of contraction (FOC), 435, 442
- Focus of expansion (FOE), 435, 436–437, 439, 442–443
- Foreground, 42
- Fourier descriptors, 223–224, 415, 472
- Fourier transform, 118
 - discrete (DFT), 223
 - of Gaussian function, 126, 128–129
- Fractal-based texture model, 241
- Frequency components, 118
- Fringe region, 85–86
- Gaussian curvature, 372, 398–399
- Gaussian distribution, 99, 213, 216
- Gaussian edge detection, 168–173
- Gaussian noise, 118, 123
- Gaussian smoothing filter, 123–136
 - in Canny edge detection, 172
 - in edge matching, 294
 - in Laplacian of Gaussian, 158–159
- Genus, 48
- Geometric equivalence, 208
- Geometric properties, 31–35
- Global operations, 16
- Gradient:
 - edge detection, 143–149
 - in interesting points detection, 297
 - numerical approximation of, 144–145, 168–169, 172
 - orientation, 144, 169–170, 208–210, 221–223
- Graph isomorphism, 484
- Graph matching, 480
- Gray value (*see* Intensity; Image irradiance)
- Gray-level co-occurrence, 235, 236–239
- Grid coordinates (*see* Pixel coordinates)

- Hand-eye problem, 336
- Histogram equalization, 112
- Histogram modification, 112–115
- Histogram-based segmentation, 77–87
- Holes, 43, 60, 68
- Homogeneity, 235, 238
- Homogeneity predicate, 28, 76, 104, 105
 - intensity, 240, 415
 - for region growing, 399
- Hop-along algorithm, 199–200
- Hough transform, 218–223, 345
- HSI color model, 280–284
- Hue, 278, 279–284
- Hyperfocal distance, 253
- Hypothesis formation, 460–462, 463, 473–474

- Illumination, 77, 258, 259–261
 - in active vision, 305
 - in object recognition, 463
 - and object verification, 487
 - point, 259, 262, 271–273
 - uneven, 80–82
 - uniform, 259, 263
- Image analysis, 2
- Image array (*see* Pixel coordinates)
- Image compression, 4
- Image coordinates, 301, 311–313
- Image enhancement, 1, 4, 112–137
 - before edge detection, 146
 - in Laplacian of Gaussian, 158
- Image flow, 366, 428–435
 - feature-based methods for, 428–429
 - gradient-based methods for, 429–431
 - information from, 435
 - robust computation of, 432–434
 - variational methods for, 431–432
- Image formation, 6–10
- Image irradiance, 254, 257–264
 - in color imaging, 277
 - and photometric stereo, 271–273
 - and shape recovery, 269–270
 - (*See also* Intensity)
- Image irradiance equation, 268, 270, 272–273
- Image plane, 7, 289, 291
 - and depth of field, 252
 - and lens equation, 250
 - and view volume, 253–254
- Image plane coordinates, 9
 - from pixel coordinates, 12
 - and reflectance map, 267–268
 - and surface orientation, 264–267
- Image processing, 4
- Image resolution, 10
- Image space, 463

- Imaging, 257–264
- Imaging radar, 289, 300, 305
- Impulse noise, 118–119, 122
- Impulse response, 116
- Influence function approach, 217
- Intensity:
 - approximation of, 162–166
 - discontinuities, 75, 140
 - in HSI color model, 280–281, 284
 - in interesting points detection, 297
 - in object recognition, 465, 482
 - quantization of, 10, 13, 25
 - for shape recovery, 269–270, 299
 - similarity of, 74, 98–99, 103
 - spatial and temporal gradients of, 417, 429, 431
 - in thresholding, 77
 - variations in, 235, 428
 - (*See also* Image irradiance)
- Intensity images vs. range images, 289
- Interesting points, 295–298, 452
- Interior, 44
- Interior orientation, 310, 341–345
 - and camera calibration, 346, 352
- Interpolation (*see* Contour, interpolation of; Surface, interpolation of)
- Intersection, 61
- Intrinsic parameters, 338, 341
 - and camera calibration, 346, 352, 358
- Invariants, 487
- Irradiance (*see* Image irradiance)
- Isotropic operator, 144
- Iterative closest point registration, 401–402
- Iterative threshold selection, 80–81

- Knots, 203–204, 207, 209–210
- Knowledge:
 - domain-dependent, 74, 96, 462
 - for feature indexing, 481
 - role of, in machine vision, 5–6
 - in thresholding, 29, 76–77

- Labeling of components (*see* Component labeling)
- Labeling problem, 421–423, 459
- Lagrange multiplier, 329, 330
- Lambert cosine law, 262–263
- Lambertian reflectance, 261–263, 264, 267–268, 271–273
- Laplacian of Gaussian (LoG), 157–161, 240
- Laplacian operator, 149–156, 157
- Least-median-squares:
 - for camera calibration, 361
 - for contour approximation, 216, 217–218
 - for image flow, 432–434
 - for surface interpolation, 384–385

- Least-squares approximation:
 - in facet model, 164
 - for Gaussian filter design, 132
 - for region growing, 105–107
 - of texture, 241
- Lens distortion, 341, 342–345
 - in camera calibration, 346–347, 350–351, 352, 356, 358
- Lens equation, 250
- Likelihood ratio, 100, 411–412, 414
- Line detection, 180, 359
- Line edge, 140–141
- Line of sight, 7, 249
- Linear smoothing filter, 118–122
- Linear space invariant (LSI) system, 116
- Linear system, 115–118
- Local operations, 15
- Localization, 143, 146, 158, 162, 173–176
- Look-up table, 479
- Luminance, 278–280

- Machine vision:
 - applications of, 1–2
 - related fields, 4–5
- Macrotextures, 235
- Markov random field (MRF), 241
- Matching (feature-model), 462, 479–480
- Maximum absolute error, 193, 204
- Mean curvature, 372, 398–399
- Mean filter, 120–122
- Mean squared error, 193
- Medial axis, 55–57
- Medial lines, 59
- Median filter, 122–123, 125
- Merge, 97–102, 196–198
- Mexican hat operator, 158
- Microtextures, 235, 239
- Mobile robots, 407
- Mode method of thresholding, 78–80
- Model (of object), 459
- Model coordinates, 9
- Model database, 460–462, 481
- Model space, 463
- Modified greedy exchange, 448–451
- Moment:
 - in component labeling, 47
 - first-order, 32, 37, 340, 357
 - in object recognition, 472
 - as region representation, 92
 - second-order, 34, 37
 - zeroth-order, 32
- Moravec interest operator, 424
- Morphological operators, 61–70, 239–240, 483

- Motion detection, 408–416
 - for edge detection, 75
 - robust, 411–413
- Moving edge, 417
- Multiple-view object representation, 470

- Nearest neighbor feature classification, 475
- Neighbors, 40
- Neural networks, 5, 474, 479
- Noise, 118
- Noise removal, 48, 60, 66–68
 - from difference picture, 409–410, 413, 414
 - in Laplacian of Gaussian, 158
- Nonmaxima suppression, 170–171, 172, 180
- Normal curvature, 371
- Normalized maximum error, 193, 196, 198

- Object:
 - location, 31, 222–223
 - orientation, 32–35, 37, 314, 487
 - position, 32, 35–37, 314
- Object coordinates, 301, 465
- Object operations, 17
- Object recognition, 4, 27, 31, 459
 - components of, 460–462
 - factors in, 463–465
 - feature classification for, 474–479
 - feature detection for, 472–473
 - feature indexing for, 481
 - matching for, 480
 - and object representation, 465–470
 - segmented, 465
 - with slope density function, 191
 - techniques for, 473–481
 - three-dimensional, 464–465
 - two-dimensional, 464
 - 2.5-dimensional, 465
- Object representation, 461, 465–470
- Object-background separation, 29
- Occlusion, 446, 447, 463–464
 - and graph isomorphism, 484
 - in object representation, 467
 - and template matching, 483
- Octree, 468
- Off-line computation (of features), 478
- Open contour, 186
- Opening, 68, 483
- Optical character recognition, 69–70
- Optical origin, 250
- Optics, 249–255
- Ordered texture, 239–240
- Orthographic projection, 408, 451, 452
- Outliers, 212
 - in camera calibration, 361

- Outliers (*Cont.*)
 in contour approximation, 213, 214–219
 in image flow, 432
 and least-median-squares surface interpolation, 384
 in least-squares region fitting, 107
 in stereo matching, 310–311
- Parameter space, 219–223
 Parametric equivalence, 208
 Partitioning, 28, 76
 predicate of (*see* Homogeneity predicate)
 Pascal's triangle approximation, 132
 Passive sensing, 305
 Path, 42
 Path coherence, 443–447
 Pattern classification, 461, 466
 Pattern recognition, 4, 474
 Peaks and valleys, 78–80
 Perimeter, 51, 472
 Perspective projection, 8–9, 249, 253, 291, 408
 and camera calibration, 346, 352
 equations for, 9
 and orientation, 326, 339, 341
 for shape from texture, 242
 Phantom points, 448–451
 Photogrammetry, 310, 321
 Photometric stereo, 271–273, 298–299
 Picture tree, 94
 Pinhole camera model, 249
 Pitch, 316
 Pixel, 10, 12–13
 Pixel coordinates, 311–313
 Planar and biquadratic region models, 105–106, 413
 Planar polygons, 374
 Plane, 369–370
 Point operations, 14
 Polyline contour representation, 194–200
 Polyline splitting, 196
 Pratt's figure of merit, 178
 Prewitt operator, 148
 Principal curvature, 372
 Principal direction, 372
 Principal point, 253–254, 311, 341, 342–345
 in camera calibration, 346–347, 352, 354, 356, 358
 Probability distribution, 77, 98–100
 Probe (*see* Structuring element)
 Projection (onto a line), 35–38, 39
 Psychophysics, 5
 P-tile method of thresholding, 78
 Pyramid region representation, 89
 Quad tree, 89–90, 103–104, 397
 Quantization, 10, 25
 Quaternions, 317, 318–320, 321–325, 331
- Radiance, 257–264
 Ramp edge, 140
 Random sample consensus, 216
 Range image, 289, 300–305
 depth measurements, 366
 and explicit curves, 368
 in object recognition, 465
 and surface segmentation, 397, 398
 Ratio of curve length to end point distance, 193, 202
 Rectification, 331–332
 Recursive subdivision (*see* Polyline splitting)
 Reflectance, 258, 261–264
 spectral, 276, 277, 285–286
 Reflectance map, 267–268, 269, 271–273
 Reflection (geometric), 66
 Region, 28, 73–108
 for feature detection, 472
 representation of, 87–96, 398
 segmentation of (*see* Segmentation)
 Region adjacency graph (RAG), 92–94, 97
 Region correlation, 295
 Region filling, 75, 186
 Region growing, 85–86, 105–108
 by hue, 284
 and surface segmentation, 397, 399
 Regularization, 386, 396
 Relative orientation, 310, 325–331
 and binocular stereo, 333, 357, 358
 Relaxation labeling, 297, 421–427, 429
 Resampling:
 for contour approximation, 216
 stereo images, 310, 331, 357, 361
 RGB values, 277, 279–280, 281–284
 Rigid body transformation, 313–320
 and camera calibration, 348–351, 353–355, 358
 for orientation, 326, 337–340
 and surface registration, 400, 402
 (*See also* Rotation; Translation)
 Rigidity, 451
 Roberts cross operator, 146–147
 Robust regression:
 for camera calibration, 361
 for contour approximation, 214–219
 for surface interpolation, 384–385
 Roll, 316
 Roof edge, 140
 Rotation, 313–320
 in absolute orientation, 321–325, 334–336
 and active triangulation, 359
 in camera calibration, 332–333, 352

- in relative orientation, 327, 328–331
 - and template matching, 483
- Rotation matrix, 316–317, 319
 - in active triangulation, 360
 - in camera calibration, 332, 350, 354, 356
 - in orientation, 321, 325, 327, 335–336, 340
 - in shape from motion, 452
- Rotational symmetry, 124, 127
- Run-length encoding, 38–39
- Running occlusion, 420

- Salt and pepper noise, 118, 122
- Sampling, 10
- Saturation, 278, 279–284
- Scale, 315, 483
 - in camera calibration, 346–347, 351, 352, 358
 - and orientation, 334–336, 341
- Scale space, 161
- Scaling, 112–115
- Scanning electron microscopy, 264, 268
- Scene classification, 234
- Scene constancy, 463
- Scene coordinates (*see* Absolute coordinates)
- Second derivative edge detection (*see* Zero crossing)
 - crossing)
- Second directional derivative, 156–157, 166
- Seed regions, 105–107, 399
- Segment merging, 196–198
- Segmentation, 28, 73–87, 365, 397–400, 401
 - data structures for, 92–96
 - by difference pictures, 419
 - by hue, 284
 - by motion, 416–420, 436–443
 - and object recognition, 459, 465
 - refinement of, 96, 104
 - static, 415–416
- Sensor spectral response, 276, 277, 285
- Separability, 127, 130
- Sequential least-squares segment merging, 198
- Shading (*see* Intensity; Image irradiance)
- Shape:
 - from focus, 300
 - from motion, 300, 451–453
 - from shading, 269–270, 299
 - from texture, 235, 236, 241–244, 297, 299
- Shrinking, 60, 398
- Sign changes, number of, 193–194, 195, 202
- Similarity (in disparity computation), 424–428
- Single lobe property, 126
- Singular value decomposition, 107
- Size (*see* Area)
- Size filter, 47, 69
 - in motion detection, 409–410, 413, 414
 - and segmentation, 399
- Skeleton (*see* Medial axis; Medial lines)
- Skew error, 352
- Slope contour representation, 191
- Slope density function, 191
- Smoothness, 386, 395, 397
- Smoothness constraint, 269–270, 297, 299, 431
- Sobel operator, 147
- Soft vertex, 207
- Solid angle, 259–260
- Space invariant system, 116
- Spatial occupancy, 468–470
- Spatial proximity, 40–47, 74
- Spatial resolution, 250–251, 252
- Spectral distribution, 276, 277–278, 279, 284–286
- Spectral reflectance, 276, 277, 285–286
- Spectral response (*see* Sensor spectral response)
- Specular reflectance, 263–264
- Speed coherence, 446
- Spline, 207
 - B-spline, 388–395
 - conic, 203–207
 - cubic, 208–210, 373–374
 - nonuniform rational B-spline (NURBS), 470
 - regression, 387–395
 - weighted, 395–396
- Spline segment, 209–210
- Split, 103–104, 196
- Split and merge, 96–97, 104, 198
 - data structures for, 92–96
- Spurs, 59
- Static-scene analysis, 407, 415
- Step edge, 140–141, 143–144
- Stereo coordinates, 332–333
- Stereo images, 289–292
 - resampling, 310, 331–332, 357, 361
- Stereo matching, 293–298, 357
- Structured lighting, 297, 299, 300, 301–303
- Structure-from-motion theorem, 451
- Structuring element, 63–69, 483
- Subgraph isomorphisms, 485–486
- Subpixel resolution:
 - in coordinate systems, 311
 - in edge matching, 294
 - of edges, 143, 146, 158, 162, 173–176
 - in polyline contour representation, 194
- Super grid, 94
- Superpixels, 411–413
- Surface:
 - approximation of, 98, 297, 365, 385–396
 - regression spline, 387–395
 - variational methods for, 395–396
 - weighted spline, 395–396
 - curvature of, 371–372
 - geometry of, 369–372

- Surface (*Cont.*)
- interpolation of, 297, 365, 381–385
 - bilinear surface, 382–383
 - robust, 384–385
 - triangular mesh, 381–382
 - orientation, 234, 237, 246, 264–267
 - for depth computation, 298
 - in photometric stereo, 271–273, 299
 - and reflectance map, 267–268
 - for shape recovery, 269–270, 298
 - representation of, 365
 - parametric, 380–381
 - polygonal mesh, 374–378
 - surface patches, 378–379
 - in surface registration, 401
 - tensor-product, 380–381, 387, 391–395
- Surface coherence, 86
- Surface fitting (*see* Surface, approximation of)
- Surface inspection, 234
- Surface normal, 261, 262–263, 266, 271–273, 370
- Surface patches, 107–108, 378–379, 384–385
- Surface reconstruction, 365
- Surface reflectance, 298
- Surface registration, 365, 400–402
- Surface-boundary object representation, 470
- Surrounds, 44
- Sweep object representation, 470
- Symbolic matching, 480–481
- Symbolic region representation, 92
- Symmetric axis (*see* Medial axis)
- Template matching, 461, 482–484
- Tensor-product surface, 380–381, 387, 391–395
- Tetrahedral cell decomposition, 468
- Texture, 234
 - classification:
 - model-based methods of, 235, 241
 - statistical methods of, 235, 236–239
 - structural methods of, 235, 239–240
 - for edge detection, 75
 - segmentation, 235–236
 - for shape recovery, 235, 236, 243–244, 298, 299
- Texture gradient, 236, 299
- Thinning, 57–60
- Thresholding, 29–31, 76–88
 - in difference picture, 409
 - double, 82–84, 87, 171–172
 - in edge detection, 146
 - of HSI color model, 284
 - of interesting points, 296
 - iterative, 80–81
 - before merging, 97
 - mode method for, 78–80
 - p-tile method for, 78
 - variable, 82
- Tolerance band algorithm, 197–198
- Total regression contour approximation, 212–213
- Tracking, 443–451
- Trajectory, 444–445, 448–451, 453
- Translation, 63, 313–316
 - in absolute orientation, 321, 322, 325, 334–336
 - in camera calibration, 332–333, 349, 350, 356
 - and quaternions, 320
 - in relative orientation, 327
 - in shape from motion, 452
 - and template matching, 483
- Translation error, 352
- Triangular mesh surface interpolation, 381–382, 470
- Triangulation, 289, 300
 - active, 359–360
- Twist, 316
- Umbilic points, 372
- Union, 61
- Value similarity (*see* Intensity, similarity of)
- Vanishing point, 299
- Variable thresholding, 82
- Vector difference, 61
- Vector sum, 61
- Vergence, 292, 305, 331
- Verification, 460–462, 473–474
 - analogical, 486–487
 - morphological, 485
 - symbolic, 483–486
 - by template matching, 482–483
- Vertex:
 - in conic splines, 207
 - in polygonal mesh, 374–378
 - in polyline representation, 194, 196, 197–198
- View volume, 249, 252, 253–254
- Viewer-centered coordinates (*see* Camera coordinates)
- Virtual reality, 4
- Visualization, 4
- Voxel, 468
- Weak edge removal, 100–103
- Weighted least-squares, 361
- Winged edge data structure, 375–378, 379
- World coordinates (*see* Absolute coordinates)
- Yaw, 316
- Zero crossing, 149–159, 164