

Definition of DJ (Diminished Java)

version 0.9

Jay Ligatti

1 Introduction

DJ is a small programming language similar to Java. DJ has been designed to try to satisfy two opposing goals:

1. DJ is a *complete* object-oriented programming language (OOP):
 - (a) DJ includes all the core features of OOPs like Java, and
 - (b) you can express any algorithm in DJ (more precisely, DJ is *Turing complete*; any Turing machine can be encoded as a DJ program).
2. DJ is *simple*, with *only* core features included. DJ can therefore be *compiled straightforwardly*; we can design and implement a working (non-optimizing but otherwise complete) DJ compiler in one semester.

2 An Introductory Example

Here is a valid DJ program:

```
// This DJ program outputs the sum 1 + 2 + ... + 100
class Summer extends Object {

    // This method returns the sum 0 + 1 + .. + n
    nat sum(nat n) {
        nat toReturn;
        // note: nat variables automatically get initialized to 0

        while(0<n) {
            toReturn = toReturn + n;
            n = n - 1;
        };

        toReturn;
    }
}

main {
    // create a new object of type Summer
    Summer s;
    s = new Summer();

    // print the sum 0 + 1 + ... + 100
    printNat( s.sum(100) );
}
```

Many additional examples of valid and invalid DJ programs are posted at: <http://www.cse.usf.edu/~ligatti/compilers/21/as1/dj/>.

3 Format of DJ Programs

A DJ program must be contained in a single file that begins with a (possibly empty) sequence of *class declarations* and then must have a *main block*.

A *class declaration* consists of an optional *final* keyword, then the *class* keyword, then a class name, then the *extends* keyword, then a superclass's name, then an open brace '{', then a (possibly empty) sequence of *variable declarations*, then a (possibly empty) sequence of *method declarations*, and then a closing brace '}'.

A *variable declaration* consists of a *type name* (either *nat* for a natural number, or a class name for an object type) followed by a variable name followed by a semicolon. For example, *nat i;* declares a variable *i* of type *nat*.

A *method declaration* consists of an optional *final* keyword, then a return type name, then a method name, then a left parenthesis '(', then a parameter type name, then a parameter name, then a right parenthesis ')', and then a *variable-expression block*.

A *variable-expression block* consists of an open brace '{' followed by a (possibly empty) sequence of *variable declarations* followed by a nonempty sequence of *expressions* (with each expression followed by a semicolon) followed by a closing brace '}'.

A *main block* consists of the *main* keyword followed by a *variable-expression block*.

An *expression* can be any of, but **only**, the following:

- A plus expression (*expression1* + *expression2*).
- A minus expression (*expression1* - *expression2*).
- A times expression (*expression1* * *expression2*).
- An equality test (*expression1* == *expression2*).
- A less-than test (*expression1* < *expression2*).
- An assertion having the form *assert expression1*.
- A not operator (!*expression1*).
- An or operator (*expression1* || *expression2*).
- A natural number (0, 1, 2, ...).
- The keyword *null*.
- An if-then-else expression having the form *if(expression1) {expression-list1} else {expression-list2}*, where *expression-list1* and *expression-list2* are nonempty sequences of expressions (with each expression followed by a semicolon).

- A while-loop expression having the form `while(expression1) {expression-list}`, where again, `expression-list` is a nonempty sequence of expressions (with each expression followed by a semicolon).
- A constructor expression having the form `new Classname()`. For example, `new Summer()` causes memory to be dynamically allocated and initialized for storing a `Summer` object.
- A this-object expression. As in Java, the keyword `this` in a method `m` refers to the object on which `m` was invoked.
- A print-natural-number expression: `printNat(expression1)`.
- A read-natural-number expression: `readNat()`.
- An identifier `id` (e.g., a variable name).
- A dotted identifier having the form `expression1.id`, where `id` is a field of whatever object `expression1` evaluates to.
- An undotted assignment having the form `id = expression1`.
- A dotted assignment of the form `expression1.id = expression2`.
- An undotted method call of the form `id(expression1)`.
- A dotted method call of the form `expression1.id(expression2)`.
- An expression inside a pair of parentheses: `(expression1)`.

Finally, comments may appear anywhere in a DJ program. A comment begins with two slashes (`//`). Anything to the right of the slashes on the same line is considered a comment and is ignored.

Again, you can find many example DJ programs illustrating this format at: <http://www.cse.usf.edu/~ligatti/compilers/21/as1/dj/>

4 Key Differences between DJ and Java Programs:

- In DJ, semicolons must appear after every expression in expression sequences. Semicolons must even appear after `while` loops and `if-then-else` expressions. The example program above (in Section 2) illustrates this requirement with a semicolon after a `while` loop.
- In DJ, all field declarations in a class must appear before any method declaration; similarly, all variable declarations in a `variable-expression block` must appear before any expressions.
- The `main block` in a DJ program is not a method and cannot be invoked.
- DJ has no type for Booleans; we use natural numbers (i.e., `0`, `1`, `2`, ...) in place of Booleans in `if-then-else` expressions. The natural number `0` gets interpreted as `false`, and everything else gets interpreted as `true`.
- DJ has no explicit `return` keyword. The example code in Section 2 illustrates how DJ uses the final expression in a method body to determine the return value.

- All DJ methods must take exactly one argument and return exactly one result.
- DJ classes have no constructor methods. DJ does have a built-in *new* expression, though: calling *new C()* creates a new object of type *C* having default values for all of its fields (the default value for natural-number fields is *0*, and the default for object fields is *null*).
- DJ has no explicit *void* or array types and does not support type casting. The only types one can explicitly write in DJ are *nat* and object types.
- Natural numbers can be input and output using the built-in *readNat* and *printNat* functions.
- DJ requires all *if* expressions to have both *then* and *else* branches. For example, *if(true) {1;} else {2;}* is a valid DJ expression, but *if(true) {1;}* is not.
- Only classes and methods (not variables) may be declared to be *final* in DJ.
- DJ has no notion of *super*, *import*, *public*, *private*, *abstract*, *try*, *catch*, *throw*, *package*, *synchronized*, etc. It lacks all these keywords.
- DJ does not allow comments of the style */* */*.

5 Additional Notes

Case sensitivity

Keywords and identifiers are case sensitive (i.e., case matters, so "Class" is not the same as "class").

Identifiers

Identifiers (which are used for naming classes, fields, methods, parameters, and local variables) must begin with a letter or an underscore character and must contain only digits (0-9), underscores, and ASCII upper- and lower-case English letters.

Natural-number literals

All numbers in DJ programs have *nat* type and must be natural numbers (0, 1, 2, ...). Naturals may *not* have leading zeroes in DJ; e.g., 0 is a valid *nat* but 005 is not a valid *nat* (technically, 005 would be interpreted as three separate natural numbers).

The Object Class

A class called *Object* is always assumed to exist. Class *Object* is unique in that it extends no other class. Also, class *Object* is empty; it contains no members (neither fields nor methods).

Recursion

Methods and classes may be (mutually) recursive. A class *C1* may define a variable field of type *C2*, while class *C2* defines a

variable field of type C1 (these are called *mutually recursive classes*).

Data Initialization

All natural-number variables and fields get initialized to 0, and all object variables and fields to *null*.

Inheritance

As in Java, classes inherit all fields and methods in superclasses. In DJ, subclasses may override non-final *methods*, but not *variable fields*, defined in superclasses. For example, if class C1 has a variable field v1 and class C2 extends C1, then C2 may not declare any variable fields named v1.

A subclass may override a superclass's non-final method only when the overriding and overridden methods have *identical* parameter and return types (though the overriding method's parameter name may differ from that of the overridden method). For example, if class C1 has a method m and class C2 extends C1, then C2 may declare a method m iff its parameter and return types match those of method m in class C1.

However, *final* classes may not be subclassed, and *final* methods may not be overridden.

How DJ programs evaluate

DJ programs basically evaluate according to the rules for evaluating Java programs, with a few differences:

- *printNat* expressions evaluate to (and return) whatever natural number gets printed.
- *readNat* expressions evaluate to (and return) whatever natural number gets read.
- *while* loops, upon completion, always evaluate to (and return) the value 0.
- *assert* expressions, if successful, evaluate to (and return) whatever nonzero value was asserted. Unsuccessful *assert* expressions (e.g., *assert 0*) cause the program to terminate.
- When the *then* branch of an *if-then-else* expression is taken, the entire *if-then-else* expression evaluates to whatever the *then* branch evaluates to. Similarly, when the *else* branch of an *if-then-else* expression is taken, the entire *if-then-else* expression evaluates to whatever the *else* branch evaluates to.
- Expression lists evaluate to whatever value the final expression in the list evaluates to.

Dynamic (i.e., virtual) method calls

As in Java, the exact code that gets executed during a method invocation depends on the run-time type of the calling object. For instance, the following DJ program outputs 2 because testObj has run-time type C2.

```

class C1 extends Object {
    nat callWhoami(nat unused) {this.whoami(0);}
    nat whoami(nat unused) {printNat(1);}
}
class C2 extends C1 {
    nat whoami(nat unused) {printNat(2);}
}
main {
    C1 testObj;
    testObj = new C2();
    testObj.callWhoami(0);
}

```

Assignment Expressions

As in Java, DJ programs can make assignments to object-type variables. For example, the expression *obj1=obj2* causes the *obj1* variable to *alias* (i.e., point to the same object as) the *obj2* variable.

Typing Rules

The typing rules for DJ also basically match those of Java. Beyond the normal Java restrictions, DJ requires that:

- The only types available to programmers are *nat* and *object* types.
- All class names must be unique.
- All method and field names within the same class must be unique. Although a subclass can override superclass methods, a subclass cannot override superclass variable fields.
- The *then* and *else* blocks in an *if-then-else* expression must have the same type.
- Boolean tests in the *if* part of an *if-then-else* expression must have *nat* type (nonzero is used for *true* and zero is used for *false*). Similarly, *equality* (*==*), *or* (*||*), *less-than* (*<*), and *not* (*!*) expressions all have *nat* (rather than *boolean*) type.
- A well-typed *while* loop has *nat* type (recall that it evaluates to 0 upon completion).
- A well-typed assertion expression has *nat* type because successful assertions return (nonzero) numbers. Also, only *nat*-type expressions can be asserted.
- *printNat* and *readNat* expressions have *nat* type because they evaluate to whatever number gets printed or read at run time.